



CERTIFICATE OF CONFORMITY

This is to certify that

Termspec Termite Management System



Product description

The Termspec Termite Management System is a perimeter, underslab and penetrations termite management system comprising the following main components:

- 0.3 mm thick embossed polymer sheet (yellow),
- Flexible moulded plastic collars (40mm, 50mm, 80mm, 100mm diameter),

Product purpose or use

To deter concealed subterranean termite entry into buildings, by way of a physical barrier containing a chemical compound in a non-soil matrix.

Certificate holder

Termspec Pty Ltd
 ABN 66 226 956 516
 1 Maitland Place
 BAULKHAM HILLS NSW 2153
 Ph: 1300 095 627
 www.termspec.com.au

Codemark certification body

SAI Global Certification Services Pty Limited
 (ACN 108 716 669) Trading as "SAI Global"
 JAS-ANZ Accreditation No. Z1440295AS
 Address: 680 George Street, Sydney, NSW 2000
 Website: www.saiglobal.com

Complies with the Building Code of Australia (2014):

1. Volume One: BP1.1 and BP1.2
2. Volume Two: P2.1.1 and QLD P2.1.3

Subject to the following conditions and limitations:

1. The Termspec Termite Management System is to be installed by licensed installers trained and approved by Termspec Pty Ltd.
2. The Termspec Termite Management System is to be installed in accordance with the Termspec Termite Management Installation Manual (Version 1, 2014).
3. The Termspec sheets when used as a perimeter cavity treatment must finish at least 75mm above the surrounding finished ground level.
4. Penetrations of a different size to the preformed Termspec Termite Management Collars are to be protected using the Termspec sheet collars made as described in the installation manual as appropriate.
5. The Termspec Termite Management Collars are not to be glued to any of the penetrations that they protect as described in the installation manual.
6. The concrete slab must be constructed in accordance with the requirements of AS 2870-2011 Residential slabs and footings or AS 3600-2009 - Concrete Structures (as amended up to and including Amendment 1).
7. Inspections are undertaken annually in accordance with the Termspec Installation Manual to determine that no bridging or breaching of the barrier has occurred.

Notes:

- (i) The installation of any termite management system cannot guarantee a 100% protection against infestation by subterranean termites. Thus the installation of a physical termite management system does not negate the need for regular competent inspections. Any additions, alterations or earth works, including gardening adjacent to the building, may render the termite management system ineffective. Such activity should be referred to a licensed installation contractor for appropriate advice and treatment.
- (ii) Any additional treatment should be done in accordance with the relevant State or Territory regulations.

Samer Chaouk
 Head of Policy, Risk &
 Certification

Paul Bailey
 Unrestricted
 Building Certifier

19/02/2015

Date of issue

18/02/2018

Date of expiry

SAIG-CM20101

Certificate Number



WWW.JAS-ANZ.ORG/REGISTER

- This Certificate of Conformity is issued by an accredited certification body under arrangement with JAS-ANZ. The ABCB does not in any way warrant, guarantee or represent that the Product the subject of this Certificate of Conformity conforms to the BCA, nor accepts any liability arising out of the use of the Product. The ABCB disclaims to the extent permitted by law, all liability (including negligence) for claims of losses, expenses, damages and costs arising as a result of the use of the product(s) referred to in this Certificate

- It is advised to check that this Certificate of Conformity is currently valid and not withdrawn, suspended or superseded by a later issue by referring to the ABCB website, www.abcb.gov.au. Page 1-1